

SPEED
COMFORT
TERRAIN

BARRACUDA

PRODUCT





CONTENTS


Fresh for 2012, Barracuda have made some important changes.

Our focus has always been to provide good looking but practical bikes at the right price.

Take a look at our new Speed, Comfort and Terrain bikes and discover this yourself.

Ask your nearest stockist about our Junior "Cuda" range and kit out the entire family.

WVRA



SPEED



COMFORT



TERRAIN



CUDA



SPECS





SPEED

With the ever growing issues of health, fuel cost and the environment we are always looking for better ways to get around.

Barracuda's Speed range offers fast rolling, lightweight bikes to help you achieve this.

SHARPPIN

UNISEX 700C



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

6061 ALUMINIUM FRAME WITH INTEGRATED HEADSET.
HI-TENSILE - STRAIGHT BLADE FORK
24 SPEED SHIMANO EZ FIRE SHIFTERS WITH FSA ALLOY CHAINSET AND SEALED BB
TEKTRO 510A ALLOY DUAL PIVOT CALIPER BRAKES WITH SHIMANO LEVERS
RYDE DOUBLE WALL RIMS WITH FORMULA SEALED HUBS AND KENDA K191 700 X 23C TYRES
48, 52 & 56CM FRAME SIZES AVAILABLE

FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY JUNIOR ROAD FRAME WITH AHEAD STEM
HI-TENSILE FORK
14 SPEED SHIMANO HANDLEBAR MOUNTED SHIFTERS WITH 152MM CRANKS
ALLOY CALIPER BRAKES WITH SHIMANO LEVERS
DEEP SECTION ALLOY RIMS WITH 24" X 28C WHITE WALL ROAD TYRES
ONE SIZE - 35.5CM ONLY



BARRACUDA

BLACKFIN Children

JUNIOR 24"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY JUNIOR ROAD FRAME WITH AHEAD STEM
HI-TENSILE FORK
16 SPEED SHIMANO STI SHIFTERS WITH 152MM CRANKS
ALLOY CALIPER BRAKES WITH SHIMANO STI LEVERS
DEEP SECTION RIMS WITH CASSETTE REAR HUB AND 24" X 28C WHITE WALL ROAD TYRES
ONE SIZE - 35.5CM ONLY



BLACKFIN

UNISEX 700C



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY ROAD FRAME WITH AHEAD STEM
HI-TENSILE FORK
24 SPEED SHIMANO STI SHIFTERS WITH 170MM ALLOY CRANKS
ALLOY CALIPER BRAKES WITH SHIMANO STI LEVERS
ALLOY RIMS WITH CASSETTE REAR HUB AND 700 X 28C WHITE WALL ROAD TYRES
47 & 55CM FRAME SIZES AVAILABLE

WARRA





COMFORT

COMFORT

Our Comfort range offer exactly that: comfortable, practical bikes covering 5 models, ladies and gents.

Ideal for town, trails... or simply having fun.



YEL LOW STRIPE 7

LADIES 26"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
EXTRAS
SIZES

ALLOY LOW STEP MONOTUBE FRAME
HI-TENSILE FORK
7 SPEED WITH SHIMANO REVO SHIFTER
ALLOY V-BRAKES WITH ALLOY LEVERS
ALLOY RIMS AND HUBS WITH 26 X 1.75" TREKKING TYRES
COMFORT SADDLE, FRONT AND REAR GUARDS
REAR CARRIER RACK, FRONT BASKET AND ALLOY KICKSTAND
15" & 18" FRAME SIZES AVAILABLE



**YEL
LOW
STRIPE
3** LADIES 26"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
EXTRAS
SIZES

ALLOY LOW STEP MONOTUBE FRAME
HI-TENSILE FORK
SHIMANO NEXUS INTERNAL GEAR HUB WITH 3 SPEED SHIMANO REVO SHIFTER
ALLOY V-BRAKES WITH ALLOY LEVERS
ALLOY RIMS AND HUBS WITH 26 X 1.75" TREKKING TYRES
COMFORT SADDLE, FRONT AND REAR STEEL GUARDS
REAR CARRIER RACK, FRONT BASKET AND ALLOY KICKSTAND
15" & 18" FRAME SIZES AVAILABLE



H26

GENTS / LADIES 26"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
EXTRAS

SIZES

ALLOY COMFORT FRAME
ZOOM SUSPENSION FORK
21 SPEED SHIMANO EZ FIRE SHIFTERS
ALLOY V-BRAKES WITH SHIMANO LEVERS
ALLOY RIMS WITH 26 x 1.75" TREKKING TYRES
COMFORT SADDLE WITH SUSPENSION SEAT POST
ADJUSTABLE ALLOY STEM
15" & 18" LADIES; 15", 18" & 21" GENTS FRAME SIZES AVAILABLE



H700

GENTS 700C

FRAME
FORK
TRANSMISSION
BRAKES
WHEELS

EXTRAS
SIZES

ALLOY TREKKING FRAME
HI-TENSILE FORK
24 SPEED SHIMANO TOURNEY REVO SHIFTERS
ALLOY V-BRAKES WITH SHIMANO LEVERS
ALLOY DOUBLE WALL RIMS WITH SEALED FORMULA HUBS
AND KENDA K935 700 X 38C TREKKING TYRES
REAR CARRIER RACK, ADJUSTABLE ALLOY STEM & KICKSTAND
17" & 19" LADIES, 19" & 21" GENTS FRAME SIZES AVAILABLE



WARRACUR

H700

LADIES 700C



H700/S

GENTS 700C

FRAME
FORK
TRANSMISSION
BRAKES
WHEELS

EXTRAS
SIZES

ALLOY TREKKING FRAME
SUNTOUR SF-11 ALLOY SUSPENSION FORK WITH 63MM TRAVEL
24 SPEED SHIMANO EZ FIRE SHIFTERS
ALLOY V-BRAKES WITH SHIMANO LEVERS
RYDE DOUBLE WALL RIMS WITH FORMULA SEALED HUBS
AND KENDA K935 700 X 38C TREKKING TYRES
¾ FRONT AND REAR ALLOY GUARDS, ADJUSTABLE ALLOY STEM & KICKSTAND
17" & 19" LADIES, 19" & 21" GENTS FRAME SIZES AVAILABLE



H700/S

H700/S

LADIES 700C





TERRAIN

Strong and robust, the Terrain range includes 4 models – from a basic MTB to something a little more serious that will get you started on those harder technical trails.





GENTS 26"

WARRIOR



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY MTB FRAME
ZOOM SUSPENSION FORK
21 SPEED SHIMANO EZ FIRE SHIFTERS
ALLOY V-BRAKES WITH SHIMANO LEVERS
ALLOY RIMS WITH 26 X 1.95" MTB TYRES
15", 18" & 21" FRAME SIZES AVAILABLE





LADIES 26"

FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY MTB FRAME
ZOOM SUSPENSION FORK
21 SPEED SHIMANO EZ FIRE SHIFTERS
ALLOY V-BRAKES WITH SHIMANO LEVERS
ALLOY RIMS WITH 26 X 1.95" MTB TYRES
15" & 18" FRAME SIZES AVAILABLE



SAFETY TOOTH

26"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES:

ALLOY MTB FRAME
ZOOM SUSPENSION FORK
21 SPEED SHIMANO EZ FIRE SHIFTERS
ZOOM DISC BRAKES WITH SHIMANO LEVERS
ALLOY RIMS WITH 26 X 2.10" MTB TYRES
15", 18" & 21" FRAME SIZES AVAILABLE



FRAME
FORK
TRANSMISSION

BRAKES
WHEELS
SIZES

ALLOY MTB FRAME
SUNTOUR SF12-XCT V4 SUSPENSION FORK WITH 80MM TRAVEL
24 SPEED SHIMANO EZ FIRE SHIFTERS
AND SHIMANO FC-M131 ALLOY CRANKS
TEKTRO NOVELA DISC BRAKES WITH SHIMANO LEVERS
ALLOY DOUBLE WALL RIMS WITH FORMULA SEALED HUBS AND KENDA KOYOTE TYRES
15", 18" & 21" FRAME SIZES AVAILABLE



BARRACUDA

CUDA



CUDA bikes are the Junior and Urban range from Barracuda

With 13 models from 14" up to 26" wheels and an exciting range of BMX's, CUDA is popular with the little ladies and tearaway boys alike!

Ask your dealer for a Cuda brochure today or visit www.cudabikes.co.uk

CUDA

Code and Code+ are the newest members of the Cuda family. With continual development, the range is always expanding to meet the needs of our younger customers.

CODE

JUNIOR 26"



**FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES**

**ALLOY JUMP STYLE FRAME
ZOOM SUSPENSION FORK
21 SPEED SHIMANO EZ FIRE SHIFTERS
ALLOY V-BRAKES FRONT AND REAR WITH SHIMANO LEVERS
ALLOY DOUBLE WALL RIMS WITH 26 X 2.10" MTB TYRES
ONE SIZE 14" ONLY**

CODE

JUNIOR 26"



FRAME
FORK
TRANSMISSION
BRAKES
WHEELS
SIZES

ALLOY JUMP STYLE FRAME
RST SUSPENSION FORK WITH 80MM TRAVEL
21 SPEED SHIMANO EZ FIRE SHIFTERS
PROMAX DISC BRAKES WITH SHIMANO LEVERS
ALLOY DOUBLE WALL RIMS WITH 26 X 2.10" MTB TYRES
ONE SIZE 14" ONLY



	Frame & Fork			Components							Controls	
	Size	Frame	Fork	Grips	Handlebar	Stem	Seatpost	Saddle	Pedals	Brakes	Shifters	Brake Lever
SHARPPIN	48cm/ 52cm/ 56cm	6061 Aluminium	Hi - ten	Vinyl brown with brown stitching	Alloy ø31.8mm, width:580mm, B/ sweep:: 10°	Alloy Ahead, ø 31.8mm, EXT: 90mm, RISE: 10°	Alloy ø27.2, Length 300mm	Road saddle	Steel cage with toe clips	Tektro 510A alloy dual pivot calliper	Shimano ST-R225-L, ST - R221 - 8R 24spd	Shimano integrated with shifter
BLACKFIN SPRAT	35.5cm	Alloy	Hi - ten	Black Tape	Alloy ø-31.8mm, width:380mm, drop-130mm, reach-75mm.	Alloy Ahead Type 31.8mmD Ext:60mm	Alloy ø27.2, Length 300mm	Road saddle	Resin	Alloy calliper	Shimano SL-A050, handle bar mounted 14spd	Shimano A050
BLACKFIN MINNOW	35.5cm	Alloy	Hi - ten	Black Tape	Alloy ø-31.8mm, width:380mm, drop-130mm, reach-75mm.	Alloy Ahead Type 31.8mmD Ext:60mm	Alloy ø27.2, Length 300mm	Road saddle	Resin	Alloy calliper	Shimano ST-2200 16spd	Shimano 2200 STI
BLACKFIN	47cm/55cm	Alloy	Hi - ten	Black Tape	Alloy ø-31.8mm, width:410mm, drop-130mm, reach-75mm.	Alloy Ahead Type 31.8mmD Ext:90mm/110mm	Alloy ø27.2, Length 300mm	Road saddle	Alloy with toe clips	Alloy calliper	Shimano ST-2200 24spd	Shimano 2200 STI
YELLOW STRIPE 7	15"/18"	Alloy	Hi - ten	PVC trekking type - brown	Steel city style	Alloy Adjustable Type Ext: 85x180mmL	Steel ø25.4 length 300mm	Trekking saddle	Non-slip	Alloy V - type	Shimano Revo Shifter 7 spd	Alloy
YELLOW STRIPE 3	15"/18"	Alloy	Hi - ten	PVC trekking type - brown	Steel city style	Steel Trekking Type 25.4mmD Ext:40mmx180mm, 30-Deg Rise	Alloy ø25.4 length 300mm	Trekking saddle	Non-slip	Alloy V - type	Shimano Nexus shifter for internal hub gear 3spd	Alloy
H26	18"/21"	Alloy	HL - CH -386 suspension	Dual density - Grey	Steel ø 25.4mm, width:600mm, rise 30mm	Alloy adjustable quill stem 25.4x85x180mm	Alloy ø27.2 length 300mm - suspension	Comfort saddle	Resin	Alloy V - type	Shimano EZ fire 21spd	Shimano integrated with shifter
H700	20"/22"	Alloy	Hi ten	Kraton Gel	Steel ø25.4mm, width:580mm, B/ sweep: 6°	Adjustable Ahead stem, ø28.6mm, EXT: 100mm	Alloy ø27.2 length 300mm	Trekking saddle	Resin	Alloy V - type	Shimano Revo Shifter 24spd	Shimano integrated with shifter
H700/S	20"/22"	Alloy	Suntour, SF11- M3010-AL	Kraton Gel	Steel ø25.4mm, width:580mm, B/ sweep: 6°	ADJ. AHEAD STEM, ø28.6mm, EXT: 100mm	Alloy ø27.2, length 300mm	Trekking saddle	Resin	Alloy V - type	Shimano EZ fire 24spd	Shimano integrated with shifter
RED	15"/18"	Alloy	Zoom suspension fork	Dual Density	Steel ø 25.4mm, width:600mm, rise 30mm	EXT:75MMx25 degree, steel	Alloy ø27.2, length 250mm	MTB	Resin	Alloy V - type	Shimano EZ fire 21spd	Shimano integrated with shifter
BLK	15"/18"/21"	Alloy	Zoom suspension fork	Dual Density	Steel ø 25.4mm, width:600mm, rise 30mm	EXT:90MMx25 degree, steel (Size:15" - 75mm,18"/21" -90mm)	Alloy ø27.2, length 250mm	MTB	Resin	Alloy V - type	Shimano EZ fire 21spd	Shimano integrated with shifter
SAWTOOTH	15"/18"/21"	Alloy	Zoom suspension fork	Dual density	Steel ø 25.4mm, width:600mm, rise 30mm	EXT:90MMx25 degree, steel (Size:15" - 75mm,18"/21" -90mm)	Alloy ø27.2, length 250mm	MTB	Resin	HL DB-280 discs	Shimano EZ fire 21spd	Shimano integrated with shifter
BIG EYE	15"/18"/21"	Alloy	Suntour SF12-XCT V4 - 80mm travel	Kraton Gel	Steel ø 25.4mm, width:600mm, bend: 9°, rise: 30mm	Alloy ahead stem, ø28.6mm, Rise: 10°, Ext: 90mm, b.bore: 25.4mm	Alloy ø27.2 length 300mm	Foming FM-250 Mtb	PP body w/ steel cage	Tektro Novela Mechanical discs	Shimano EZ fire 24 spd	Shimano integrated with shifter
CODE	14"	Alloy	HL CH-375 suspension	Dual density	Steel ø 25.4mm, width:600mm, rise 30mm	Steel, EXT:60MMx25 degree	Alloy ø27.2, Length 250mm	Freestyle Code	9/16" PVC BMX	Alloy V - type	Shimano EZ fire 21spd	Shimano integrated with shifter
CODE +	14"	Alloy	RST Suspension - 80mm trave	Dual density	Steel ø 25.4mm, width:600mm, rise 30mm	Steel, EXT:60MMx25 degree	Alloy ø27.2, Length 250mm	Freestyle Code	Alloy 9/16" BMX	Promax DSK320FBK mechnical Discs	Shimano EZ fire 21spd	Shimano integrated with shifter



NEW

	Drive train								Wheels				Extras
	Front Derailleur	Rear Derailleur	Chainwheel	Cassette/ Freewheel	Chain	Cranks	Chain Guard	Bottom Bracket	Rims	Hubs	Spokes	Tyres	
SHARPPIN	Shimano 2300 series	Shimano 2300 series	52/42/30T	Cassette sprocket, 8SP, 12-25T	KMC Z7	Alloy 170mm FSA	N/A	Cartridge Sealed	700C, Ryde, alloy, 32H, double wall	Alloy sealed Formula RB-31FOR and RB-32-8QR cassette	Steel	Kenda K191-700 x 23C"	
BLACKFIN SPRAT	Shimano A050	Shimano A051	38/42T	7 Speed Index 14-28 T	KMC Z-72	Steel 152mm	N/A	Cartridge	24" Alloy, 36H, Double High Wall	Alloy w/ front QR	Steel	Road w/ white walls 24 x 28c"	
BLACKFIN MINNOW	Shimano 2300	Shimano 2200	38/42T	8 SPD Cassette sprockets 12-23T CP	KMC Z-72	Steel 152mm	N/A	Cartridge	24" Alloy, 36H, Double High Wall	Alloy w/ front QR	Steel	Road w/ white walls 24 x 28c"	
BLACKFIN	Shimano 2300	Shimano 2200	30/42/52T	8 SPD Cassette sprockets 12-23T	C-410	Alloy 170mm	Chain Wheel	Cartridge	700C Alloy, 36H, Double High Wal	Alloy w/ front QR	Steel	Road w/ white walls 700 x 28c"	
YELLOW STRIPE 7	N/A	Shimano Tourney	46T	Shimano 7 Speed Index 14-28 T	KMC - HV410	170mm Steel	Fully enclosed	Steel 5 pc	26" Alloy 36H, Double Wall	Alloy	Steel	Trekking Pattern	Front Basket: Rear Carrier rack: 3/4 steel guards
YELLOW STRIPE 3	N/A	N/A	46T	Shimano 21 T (with Inetnal Nexus Hub)	KMC - HV410	170mm Alloy	Fully enclosed	Cartridge	26" Alloy, 36H, Double Wall	Alloy front - Shimano nexus 3 spd internal gear hub rear	Steel	Trekking Pattern 26 x 1.75" T	Front Basket: Rear Carrier rack: 3/4 steel guards
H26	Shimano Tourney	Shimano Tourney	24/34/42T	Shimano 14-28T	KMC HV-500	170mm Alloy	PVC chain guard	Steel 5 pc	26" Alloy, 36H	Steel	Steel	MTB Pattern 26 x 1.75"	
H700	Shimano Tourney	Shimano Altus	42/34/24T	Cassette sprocket, 8SP, 11-32T	KMC Z7	170mm Steel	PVC chain guard	Cartridge	Ryde, Alloy, 36H, Double wall	Alloy sealed formula QR w/cassette rear	Steel	Kenda K935 700 x 38c"	Alloy adj kick stand: Alloy 3/4 guards: Rear carrier rack
H700/S	Shimano Tourney	Shimano Acera	42/34/24T	Cassette sprocket, 8SP, 11-32T	KMC Z7	170mm Alloy	PVC chain guard	Cartridge Sealed	700C Ryde, Alloy 36H, Double wall	Alloy sealed Formula QR w/ cassette rear	Steel	Kenda K935 700 x 38c"	Alloy adj kick stand: Alloy 3/4 guards:
RED	Shimano TZ	Shimano Tourney	28X38X48T	Shimano 14-28T	KMC HV-500	170mm Alloy	PVC chain guard	Cartridge	26" Alloy, 36H	Steel	Steel	MTB Pattern 26 x 1.95"	
BLK	Shimano TZ	Shimano Tourney	28/38/48T	Shimano 14-28T	KMC HV-500	170mm Alloy	PVC chain guard	Cartridge	26" Alloy, 36H	Steel	Steel	MTB Pattern 26 x 1.95"	
SAWTOOTH	Shimano TZ	Shimano Tourney	28/38/48T	Shimano 14-28T	KMC HV-500	Suntour 208PBG alloy 170mm	PVC chain guard	Cartridge	26" Alloy, 36H	Steel QR front	Steel	MTB Pattern 26 x 2.10"	
BIG EYE	Shimano Tourey	Shimano Acera	42/34/24T	Cassette sprocket, 8SP, 11-32T	KMC Z7	Shimano FC - M131 170mm Alloy	PVC chain guard	Cartridge Sealed	26" Ryde Zac-19, Alloy, Double wall	Alloy sealed formula QR w/ cassette rear	Steel	Kenda Koyote 26 x 2.10"	
CODE	Shimano TZ	Shimano Tourney	28/38/48T	Shimano 14-28T	KMC HV-500	Alloy 170mm Shimano FC - M151	PVC chain guard	Cartridge	26" Alloy, 36H, Double wall	Alloy w/ front QR	Steel	MTB Pattern 26 x 2.10"	
CODE +	Shimano TZ	Shimano Tourney	28/38/48T	Shimano 14-28T	KMC HV-500	Alloy 170mm Shimano FC - M151	PVC chain guard	Cartridge	26" Alloy, 36H, Double wall	Alloy w/ front QR	Steel	MTB Pattern 26 x 2.10"	

Specification and Colour is subject to change without notice



BARRACUDA

MOORE LARGE

Sinfin Lane Industrial Estate

Sinfin Lane

Derby

Derbyshire

DE24 9GL

01332 274252

sales@moorelarge.co.uk

www.barracudabikes.co.uk

www.cudabikes.co.uk



Moore Large & Co Ltd are committed to your safety. For this reason, every featured bicycle exceeds the safety requirements of all relevant British and European Safety Standards.